



# P93B Fan heater

Tiger 9kW 400V3N~

Item number: 3089

## Robust fan heater for portable use in demanding environments

Tiger is a range of robust and compact fan heaters for professionals with high demands.

The Tiger fan heater has a compact and robust sheet steel design with a red finish. The heavy-duty tubular frame acts as a well-balanced and ergonomic carrying handle. The design protects against impact and vibrations and permits use in exacting environments.

- Output: 2 - 30 kW
- IP44



## Technical parameters

### Nominal data

Color casing	Traffic red
Color casing, NCS	NCS 1090-Y80R
Color casing, RAL	RAL 3020
Color, outlet grilles	Light grey
Color outlet grilles, NCS	NCS 5000
Enclosure class	IP44

### Dimensions and weights

Length	350	mm
Height	530	mm
Depth	480	mm
Weight	11	kg

### Air flow

Air flow	720	m <sup>3</sup> /h
----------	-----	-------------------

**Motor/control supply**

Control/motor supply	230	V
Control/motor current	0.3	A
Maximum fan impeller speed	1,350	r.p.m.

**Electric heat**

Input power, heater	9; 4.5	kW
Current heating	13; 11.3	A
Voltage heating	400	V
Temperature rise, maximum heat output, highest airflow	37	°C

## Documents

- Catalogue pages Tiger
- Manual Tiger 2-15
- CB certificate Tiger 225635\_gb.pdf
- Declaration of conformity Fan heaters
- ENVIRONMENTAL FACTS CAT-PANTHER-TIGER -SW.PDF
- Wiring diagram Tiger.pdf